

BINDING INSTRUCTIONS (COMMERCIAL CONTRACTS)		DEPARTMENT OR AGENCY		REQUISITION NUMBER <div style="text-align: right;"> <i>157</i> <i>8.8.2</i> <i>Imp</i> </div>			
INSTRUCTIONS - This form in duplicate is to accompany each book submitted for binding.							
OFFICE		CATALOG OF MAMMALS AND BIRDS ARMY MEDICAL MUSEUM (Lengthwise titles will be placed on book reading from top to bottom.)					
LIBRARY	LOT NO. <div style="text-align: center;"><i>5</i></div>					ITEM NO. <div style="text-align: center;"><i>5</i></div>	VOLS ON THIS ITEM <div style="text-align: center;"><i>1</i></div>
ARRANGEMENT <div style="display: flex; justify-content: space-between;"> <i>AFIP</i> <i>5</i> <i>5</i> <i>1</i> </div> <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> BIND AS ARRANGED <input type="checkbox"/> REMOVE COVERS <input type="checkbox"/> REARRANGE AS INDICATED <input type="checkbox"/> REMOVE ADS AS INDICATED </div> <div> <input type="checkbox"/> RETURN COVERS AND ADS </div> </div>							
TRIMMING <div style="display: flex; justify-content: space-between;"> <input type="checkbox"/> TRIM <input type="checkbox"/> DO NOT TRIM </div> <input type="checkbox"/> MAKE DUMMY							
COLOR OF COVER <div style="display: flex; justify-content: space-between;"> <input type="checkbox"/> MATCH SAMPLE <input type="checkbox"/> MATCH DUMMY </div>		HORIZONTAL TITLES (Maximum of 8 lines. Plan each line to insure width will not exceed thickness of the bound volume)					
ADDITIONAL INSTRUCTIONS <div style="text-align: center;"> REBIND </div>		LETTERING <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> FRONT COVER <input checked="" type="checkbox"/> SPINE <input type="checkbox"/> INK OR FOIL (Color) <input type="checkbox"/> SEE SAMPLE <input type="checkbox"/> SEE RUB OFF </div> <div> <input type="checkbox"/> SEE ADD'L COPY ATTACHED <input checked="" type="checkbox"/> X GOLD <div style="border: 1px solid red; border-radius: 50%; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin: 10px auto;"> <i>12 3/4</i> </div> </div> </div>					
NOTE: All books to be examined and repaired in accordance with terms of the contract.							

 AFIP
MM

2 35

Mammalia Quadruman.

- 1 *Homoides aethiops*, Schaphirt, left hand, skeleton No 1021,
- 2 *Troglodytes gorilla*, No 644, cast of cranium,
- 3
- 4 *Simia satyrus*, Linne, No 4404, 131
- 5
- 6 *Cynopithecus Niger* 2483
- 7
- 8
- 9
- 10
- 11
- 12
- 13 *Cercopithecus fuliginosus*, Cuvier, No 1066,
" *pygerythrus*, Cuvier, No 1299,
- 14 *Macacus radiatus*, No 1300,
" *cynemolgus* — No 1382,
- 15 *Cynocephalus porcaireus*, No 1297,
- 16 *Ateles paniscus*, Geoff. No 1296, 2203,
- 17 *Logothrix Humboldtii* 2418
- 18
- 19

20

Mycetes senicalus, Kuhl, No 1298,

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

Tarsius spectrum, Geoff, No 1301,

36

37

Jacchus oedipus, Wag, No 1302,

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

- 58 *Loris gracilis* 2484
- 59 *Vareca varia* 2485
- 60 *Centetes eandatus* 2486
- 61 *Herpestes mangusta* 2487
- 62 *Halicore australis* 2490
- 63 *Llama Pacos* 2491
- 64 *Tragulus javanicus* 2492
- 65 *Cyclothurus dydaetylus* 2493
- 66 *Daryurus viverrinus* 2494
- 67 *Phascolumys ursinus* 2495
- 68 *Echidna hyetrix* 2496
- 69 *Phalangista vulpina* 2497
- 70 *Phascolarctus cinereus*, 2500
- 71 *Halmaturus* 2501
- 72 *Hatteria* 2502
- 73
- 74
- 75
- 76

- 1.
2. *Nyctinomus nasutus*, Tomes, No 601, 2381,
3. *Nycticejus crepuscularis*, Allen, No 1009, 1192,
4. *Lasiurus noveboracensis*, Tomes, No 1198, 1353,
- 5.
- 6.
7. *Scotophilus carolinensis*, Geoff, No 174, 1908,
8. *Scotophilus fuscus*, Palisot, No 854,
9. *Scotophilus georgianus*, Allen, No 849, 1134,
10. *Scotophilus alleghaniensis*, B. & H., No 1018,
- 11.
- 12.
- 13.
- 14.
15. *Vespertilio lucifugus*, Allen, No 600, 1208,
16. *Vespertilio yomanensis*, Allen, No 996, 997,
17. *Vespertilio nitidus*, Allen, No 992,
18. *Vespertilio subulatus*, Allen, No 113,
19. *Synotis townsendii*, Wagner, No 986,

Mammalia Vespertilionidae

20 *Antrozous pallidus*, Allen, No 848, 981, 2224, 2231, 2232.

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38,

1

2

3

4

5

Sorex pachyurus, Baird, No 2182, 2183,

6

7

8

9

Sorex cooperii, Bach, No 2166, 2167, 2168, 2169,

10

11

Sorex personatus, Geoff, No 232,

12

13

14

15

Blarina brevicauda, Gray, No 2141, 2142, 2143,

16

17

18

19

20

21. *Scalops aquaticus*, Cuvier, No 112,

22 *Scalops argentatus*, Aud, No 2155,

23

24

25 *Condylura cristata*, Ill, No 1106,

26

27 *Felis concolor*, L, No 178, 179, 631, 828, 954.

28 *Felis onca*, Linné, No 1412.

29

30

31

32 *Lynx rufus*, Raf, No 952, 1059, 1160, 1383,

33 *Lynx maculatus*, Aud, No 793, 1396,

34 *Lynx fasciatus*, Raf, No 1080,

35 *Lynx canadensis*, Raf, No 180

36 *Canis occidentalis*, — No 184, 185, 712, 713, 714, 1238, 1417, 1418,

37 *Canis latrans*, Say No 186, 700, 711, 715, 907, 1323, 1324,

38, *Vulpes fulvus* — No 99, 189, 190, 191, 192,

- 39 *Vulpes macrourus*, Baird No 1161, 1196.
- 40 *Vulpes velox*, Aud, No 955, 1314.
- 41
- 42 *Vulpes virginianus*, Rich, No 193, 194, 195, 196,
- 43 *Vulpes littoralis*, Baird, No 1546, 1584.
- 44
- 45 *Mustela pennanti*, Exl, No 198,
- 46 *Mustela americana*, Turton, No 197, 957.
- 47
- 48
- 49
- 50 *Putorius novaboracensis*, No 722, 1058, 1085.
- 51 *Putorius longicauda*, Rich, No 852, 1424, 2088.
- 52
- 53
- 54
- 55 *Putorius vison*, Rich, 199, 595, 1315, 1316
- 56
- 57 *Gulo luscus*, Sabine, No 200,

- 58 *Lutra canadensis*, Sabine, No 201, 951,
- 59
- 60
- 61
- 62
- 63 *Mephitis occidentalis*, Baird, No 825,
- 64 *Mephitis mephitis*, — No 161, 202, 704, 956, 1193, 2084, 2185
- 65
- 66 *Taxidea americana*, Waterh., No 203, 612, 795, 834, 950, 1236, 1244, 1419,
- 67
- 68 *Procyon lotor*, Storr. No 134, 204, 613, 1060, 2077, 2078,
- 69 *Ursus Arctos* 2488
- 70 *Ursus horribilis*, Ord, No 205, 672, 1006, 1042, 1043, 2240,
- 71 *Ursus americanus*, Pallas, No 206, 207, 208, 209, 210, 1200, 1210, 1243, 1380, 1381,
- 72 *Ursus maritimus*, Linné, No 211,
- 73 *Didelphys virginianus*, Shaw, No 1, 162, 163, 212, 213, 787, 91
- 74 *Didelphys californica*, Bennet, No 2074.
- 75 *Sciurus vulpinus*, Gm, No 223, 624,
- 76 *Sciurus cinereus*, Linné, No 214, 215,

- 77 *Sciurus ludovicianus*, Custer, No 2208,
 78
 79 *Sciurus carolinensis*, Gm, No 10,
 80
 81 *Sciurus castaneus*, Baird, No 975, 1354,
 82
 83 *Sciurus hudsonius*, Pallas, No 216, 1355, 2059,
 84 *Sciurus fremontii*, Towns, No 2278.
 85
 86
 87 *Pteromys volucella*, Cav, No 175,
 88
 89
 90 *Pteromys oregonensis*, Bach, No 896,
 91 *Tamias striatus*, — No 561, 596, 2061, 2139.
 92 *Tamias quadricinctatus*, Rich, No 1361, 1362, 1667, 1687,
 93
 94
 95 *Spermophilus beecheyi*, Mich, 1547, 1548, 1570,

96

97

Spermophilus grammurus, Bach, No 974, 1348,

98

99

Spermophilus lateralis, Rich, No 1363, 1549, 1550,

100

Spermophilus harrisi, No 2234.

101

Spermophilus franklini, Rich No 2145, 2146, 2147, 2148, 2149.

102

103

Spermophilus tridecem-lineatus, Aud, No 1311, 1312, 1313, 1686, 2060,

104

Spermophilus mexicanus, Wagner, No 2158, 2160, 2161, 2162, 2163,

105

106

107

Spermophilus richardsoni, No 1433,

108

Spermophilus townsendii, Bach, No 2126.

109

Cynomys ludovicianus, — No 217, 218, 835, 903, 904, 905, 1409, 1410,

110

Cynomys gunnisoni, Baird, No 1352, 2158,

111

Arctomys monax, Gmel, No 219, 1205, 2056,

112

Arctomys flaviventer, Bach No 1358,

113

114

Castor canadensis, Kuhl, No 220, 221, 794, 822, 1081, 1901,

115

116 *Geomys bursarius*, Rich, No 719, 827, 1237, 1403, 1895, 2062, 2063, 2064,
2065;

117

118

119

120

121

122

123 ~~Ed.~~

124

125 *Thomomys rufescens*, Max m, No 1310,

126 *Thomomys umbrinus*, — No 1001, 1002, 1551, 1542,
" *talpoides*, Baird, No 1404, 2474

127

128 *Dipodomys ordii*, Woodh, No 684, 1137, 1569,

129

130

131

132

133 *Perognathus hispidus*, Baird, No 1405, 1406.

134

135 *Cricetodipus flavus*, Baird, No 990.

136

137 *Zapus hudsonius*, Gmel, No 1326, 1707, 2113, 2136, 2137,138 *Mus decumanus*, Pallas, No 19, 130, 222, 223, 552,

139

140 *Mus tectorum*, Lavi, No 984, 985,141 *Mus musculus*, L, No 69, 225, 226, 227,

142

143

144

145 *Reithrodon longicauda*, Baird, No 1574.146 *Hesperomys leucopus*, Wagner, No 597, 1328, 1406, 1573, 1508,

147

148

149

150

151

152

153

154

155

156

157

158

159 *Hesperomys leucogaster*, No 2089, 2135, 2138,

160

161 *Neotoma floridana*, Say, No 224, 2154,

162 *Neotoma mexicana*, Baird, No 983, 2156, 2157,

163

164

165

166 *Neotoma cinerea*, No 1356, 2111.

167

168 *Sigmodon berlandieri*, Baird, No 967, 968, 969, 970,

169 *Eutamias gapperi* Vigors, No 2068, 2069, 2070, 2071, 2072, 2073

170 *Arvicola riparia*, Orel, No 608, 1040, 1404, 2086, 2087.

171

172 *Arvicola rufidorsum*, Baird, No 1709, 1710,

173 *Arvicola townsendii*, Bach. No 2223,

174

175

176

177

178

179

180

181 *Arvicola austera*, Leconte, No 2133, 2134, 2150, 2151, 2152,

182

183

184

185

186

187

188 *Fiber zibethicus*, Cuvier, No 228, 229, 230, 1194, 1317, 1421, 2066,

189 *Erethizon dorsatus*, Cuvier, No 978,

190 *Erethizon eximianthus*, Brandt, No 231, 1680,

- 191
- 192 *Lepus americanus*, Exxl, No 239,
- 193
- 194 *Lepus campestris*, Bach, No 1669, 1670, 2390,
- 195 *Lepus collotis*, Wagl, No 237, 797, 1238, 1360, 1405, 1556, 1896,
- 196
- 197 *Lepus sylvaticus*, Bach, No 164, 240, 241, 242, 243, 1389,
- 198 *Lepus artemisia*, Bach, No 972, 988, 987, 989, 1239, 1240,
- 199
- 200 *Lepus auduboni*, Baird, No 2235
- 201 *Lepus townsendii*, Baird, No 2094,
- 202
- 203 *Lepus palustris*, Bach, No 238,
- 204
- 205
- 206 *Dicotyles torquatus*, Cuvier, No 244. 829,
- 207
- 208
- 209

- 210 *Cervus canadensis*, Erxl, No 247, 1022, 1069, 1077, 1525, 1537,
- 211 *Cervus virginianus*, Boddart, No 249, 250, 251, 622, 634, 635,
- 212 *Cervus leucurus*, Dougless, No 833, 1395,
- 213
- 214 *Cervus macrotis*, Say, No 248, 1394,
- 215 *Cervus columbianus* Pich, No 2241.
- 216 *Antilocapra americana*, Ord, No 252, 253, 632, 633, 1050,
- 217
- 218 *Ovis montana*, Cuvier, No 671, 1049, 1061, 1422, 2259,
- 219
- 220 *Bos americanus*, Gmel, No 686, 832, 959,
- 221
- 222
- 223
- 224
- 225 *Tatusia septem-cinctus*, Linne', No 2075, 2127.
- 226 *Semnopithecus Cuculatus* 2481, 2482
- 227
- 228,

1 *Callirhinus ursinus*, Gray, No 1052,

2
3 *Zalophus Gillespii*, M'cain, No 261,

4 *Phoca vitulina*, Linné, No 259,

" *tubata* Linné, No 1048,

5
6
7
8 *Erignathus barbatus*, O. Fabr, No 258,

9
10
11 *Cystophora cristata*, Ehl, No 260,

12
13 *Rosmarus obesus*, Illiger, No 888, 1053,

14
15
16
17
18
19

20 *Delphinus clymene*, Gray, No 1148, 1266, 1267,
" *delphis*, Linné, No 1308,

21

22

23

24

25

26

27

28

29 *Phocaena americana*, Agass, No 1554.

30

31

32

33

34

35

36

37

38

39	<i>Phocaena phoca</i>	1
40	<i>Phocaena phoca</i>	1
41	<i>Phocaena phoca</i>	1
42	<i>Phocaena phoca</i>	1
43	<i>Phocaena phoca</i>	1
44	<i>Phocaena phoca</i>	1
45	<i>Phocaena phoca</i>	1
46	<i>Phocaena phoca</i>	1
47	<i>Phocaena phoca</i>	1
48	<i>Phocaena phoca</i>	1
49	<i>Phocaena phoca</i>	1
50	<i>Phocaena phoca</i>	1
51	<i>Phocaena phoca</i>	1
52	<i>Phocaena phoca</i>	1
53	<i>Phocaena phoca</i>	1
54	<i>Phocaena phoca</i>	1
55	<i>Phocaena phoca</i>	1
56	<i>Phocaena phoca</i>	1
57	<i>Phocaena phoca</i>	1

I	<i>Felis domesticus</i> , L, <u>No 20</u> , 95, 181, 182, 183,
T	<i>Canis familiaris</i> , L, No 29, 35, <u>76</u> , 187, 188, 739.
≡	<i>Equus caballus</i> , L, No 34, <u>801</u> .
V	<i>Sus scrofa</i> L, No 47, 52, <u>123</u> , 245, 246,
V	<i>Lepus cuniculus</i> , L, <u>No 48</u> , 234, 235, 236, 1023,
V	<i>Bos taurus</i> , L No 50, <u>802</u> , 2221.
V	<i>Capra hircus</i> , L, <u>No 106</u> , 254, 255, 256,
≡	<i>Ovis aries</i> , L, No 257, 619, 620,
≡	<i>Delphinus delphis</i> , L, No 262, <u>519</u> , <u>690</u> ,
X	<i>Mustela martes</i> , Briss, No 723,
X	<i>Foetorius putorius</i> , L, No 724,
X	<i>Erinaceus europæus</i> , L, No 725,
X≡	<i>Arvicola amphibius</i> , L, No 726,
X≡	<i>Plecotus auritus</i> , L, No 727
XV	<i>Vesperugo pipistrellus</i> , Daub, No 728,
XV	<i>Vesperugo discolor</i> , Natt, No 729,
XV	<i>Foetorius vulgaris</i> , Briss, No 730,
X≡	<i>Vesperugo noctula</i> , Daub, No 731,
X≡	<i>Foetorius erminea</i> , L, No 732,
X	<i>Sorex araneus</i> , Schreb, No 733,
X	<i>Talpa europæa</i> , L, No 734, 735,
X	<i>Meles taxus</i> , Schreb, No 736,
X≡	<i>Lepus timidus</i> , L, No 737,
XV	<i>Capella rupicapra</i> , L, No 738, <u>871</u> ,
XV	<i>Lutra vulgaris</i> , L, No 740,
XV	<i>Lepus madagascarensis</i> , — <u>No 812</u> ,
XV	<i>Cavia cobaya</i> , Linné, No 869, 870, <u>872</u> , 908, 909, <u>1918</u> ,
X≡	<i>Choloepus hoffmanni</i> , <u>No 1303</u> ,
X≡	<i>Ornithorhynchus anatinus</i> , Shaw, <u>No 1304</u> .
XX	<i>Echidna hystrix</i> , Cuvier, <u>No 1305</u> ,
XX	<i>Phalangista vulpina</i> , Desm, <u>No 1306</u> .
XX	<i>Tigris regalis</i> <u>No 1307</u> ,
XX≡	<i>Phacochoerus aeliani</i> , Gretz, No 1309,
XXV	<i>Equus asinus-caballus</i> , L, No 1408,

- 1 *Cathartes aura*, Ill, No 138, 409.
- 2
- 3
- 4
- 5 *Falio anatum*, Bon, No 923,
- 6
- 7 *Falco columbarius*, L, No 269, 924,
- 8
- 9
- 10 *Falco polyagrus*, Cassin, (St, No 1386, ♂) 2230,
- 11
- 12 *Hierofalco islandicus*, Sabine, No 922,
- 13 *Tinnunculus sparverius*, Linné No 1594 (St, 1593.) 2108.
- 14 *Astur atricapillus*, Wils, No 139, 265, (ster: 2225.)
- 15 *Accipiter cooperii*, Bon. No 266, 717, 800,
- 16
- 17 *Accipiter fuscus*, Bon, No 604, 949, 1294, (St, 1293) 2461
- 18 *Buteo swainsoni*, Bon, (St, No 1385, ♀) 1685, 2166.
- 19

- 20 *Buteo calurus*, Cassin, (St. No 1462) 1485, 2228, 2229.
- 21
- 22
- 23 *Buteo borealis*, Vieill, No 15, 263, 264, 716, 2082, (St. 2083)
- 24 *Buteo montanus*, Nuttall, No 1369,
- 25 *Buteo lineatus*, Jardine, No 267, 708, 2437.
- 26
- 27
- 28
- 29
- 30 *Archibuteo lagopus*, Gray, No 936, 937, 938, 2080,
- 31
- 32
- 33
- 34 *Asturina plagiata*, (St. No 1463)
- 35 *Elanus leucurus*, Bonap, No 2209,
- 36
- 37
- 38 *Circus hudsonicus*, Vieill, No 268, 921, 2388, (St. 2392)

- 39 *Aquila chrysaetus*, L. No 796, 891, 1107, 2085, 2353,
- 40
- 41
- 42
- 43 *Haliaeetus leucocephalus*, Linne, No 583, 836, 892, 893, 2107,
- 44 *Pandion haliaetus*, Sav. No 135,
- 45
- 46
- 47 *Strix flammea*, (pretiosa, Bon) No 1351,
- 48 *Bubo virginianus*, Bon. No 270, 837, 860, 2144,
- 49 *Scops asio*, Bon. No 274, 610, 2420
- 50 *Bubo Maxima* 2499
- 51 *Otus wilsonianus*, Lesson, No 603 (Pt. 1241)
- 52 *Brachyotus cassini*, Brewer, No 273, 591, 788, 2091.
- 53
- 54 *Syrnium nebulosum*, Gray, No 156, 272,
- 55
- 56
- 57 *Nyctale acadia*, Bon. No 897,

58

59

60 *Glaucidium californicum*, Baird, (St. No 1403)61 *Nictea nivea*, Gray, No 271,

62

63 *Conurus carolinensis*, Kuhl, No. 277.

64

65

66

67

68 *Geococcyx californianus*, Baird, (St. No 1464.) 1466, 1738.69 *Coccyzus americanus*, Bon. No 278, 279, 280,70 *Coccyzus erythrophthalmus*, Bon. No 281. (St. 2140) 2441

71

72

73

74 *Picus villosus*, Linné, No 602, 1370,75 *Picus harrisii*, Aud. (St. No 1477.) 1491,76 *Picus pubescens*, Linné, No 282, 283, 2131 (St. 2132) 2197.

77

78

79

Picus scalaris, Wagler, No 1484.

80

81

Picus albolarvatus, Baird, No 2121.

82

83

84

Picoides dorsalis, Baird (St. No 1475)

85

Sphyrapicus varius, Baird, No 811, (St. 1276) 1329, 1336, 2309,

86

87

88

89

Sphyrapicus thyroideus, Baird, (St. No 1397.)

90

Hylatomus pileatus, Linne', No 550, 621, 718,

91

Centurus carolinus, Bonap., No 2275, 2295, (St. 2296,

92

93

Centurus uropygialis, Baird, No 1483,

94

Melanerpes erythrocephalus, Sw., No 284, 285, 1206, 1337, (St. 1338)

95

- 96 *Melanerpes torquatus*, Bon, 2116.
- 97 *Colaptes auratus*, Sw, No 118, 286, 287, 288, 289, (St 1327)
- 98 *Colaptes mexicanus*, Sw, (St, No ~~1410~~) 2079, 2164.
- 99
- 100
- 101 *Trochilus colubris*, Linne, No 290,
- 102 *Trochilus alexandri*, Muls, No 1456, 1457, 1458, (St, 1459)
- 103 *Selasphorus rufus*, Sw, No 1453, 1454, (St, 1455,) 2233.
- 104 *Selasphorus platycercus*, Gould, No 1449, 1450, 1451, (St, 1452.)
- 105
- 106
- 107 *Panyptila saxitilis*, No 1500,
- 108
- 109 *Chaetura pelagica*, Steph, No 171,
- 110
- 111
- 112 *Antrostomus vociferus*, Bon, No 861,
- 113
- 114 *Chordeiles virginianus*, Coues, No 1647, 1648, 1649, 1650, (St, 1651.)

115

116

117 *Ceryle alcyon*, Boie, No 155,

118

119

120

121

122

123

124 *Tyrannus carolinensis*, Baird, No 291, 292, 1339, 1340, 1341, (st, 1342)

125

126 *Tyrannus verticalis*, Say, No 1641, 1642, 1643, 1644, 1645, (st, 1646)

127

128

129

130

131

132

133

134

135

Sayornis fuscus, Baird, No 1752, 2128, (st, 2129) 2287,

136

137

138

Contopus richardsonii, Baird, No 1498, 1508, (st, 1509)

139

Contopus virens, Cab, No 293,

140

141

142

143

144

145

146

147

148

Turdus mustelinus, Gm, No 296, 297, 298,

149

Turdus pallasi, Cab, No 2282, (st, 2283) 2284, 2285,

150

Turdus nanus, Aud, No 303,

151

Turdus fuscescens, Stev, No 299, 300, 301, 302,

152

- 153 *Turdus swainsonii*, Cab, No 304, 2265 (St, 2266) 2267,
- 154 *Turdus siliaceus*, Baird, No 2305. (St, 2306)
- 154
- 155 *Turdus migratorius*, L, No 33, 46, 56, 294, 295,
- 156
- 157
- 158 *Sialia sialis*, Baird, No 305, 306, 307, 1109 2279,
- 159 *Porocetes gramineus*, Var. *Confinis* 2431
- 160
- 161
- 162 *Regulus satrapa*, Licht, No 2307, 2318, (St, 2319)
Regulus calendula 2443
- 163
- 164
- 165
- 166
- 167 *Mniotilta varia*, Vieill, No 2271. (St, 2272) 2292, 2297, 2440
- 168 *Parula americana*, Bon. No 309, 310,
- 169
- 170 *Geothlypis trichas*, Cab, No 311, 312, 313, 314,

171

172

173

Geothlypis macgillivrayi, Baird, No 1431, (St, 1432)

174

175

176

Icteria viridis, Bon. No 393,

177

178

179

180

181

182

183

184

185

Helminthophaga peregrina, Cab, No 1349, (St, 1350) 2276, 2277, 2304,

186

Sciusus aurocapillus, Sw, No 2290, (St, 2291,) 2316, 2438. 2442

187

188

189

Dendroica virens, Baird, No 316, 2273, (St, 2274) 2313,

- 190
- 191
- 192
- 193 *Dendroica canadensis*, Baird, No 315,
- 194 *Dendroica coronata*, Gray, No 325, 326, 2298, (st2299) 2428, 2429
- 195
- 196 *Dendroica blackburnii*, Baird, No 327, 2268,
- 197 *Dendroica castanea*, Baird, No 317, 318, 2269, (st2270)
- 198
- 199
- 200 *Dendroica pennsylvanica*, Baird, 319, 320, 1347, 2430
- 201 *Dendroica caerulea*, Baird, No. 2238, 2444
- 202 *Dendroica striata*, Baird, No 323, 324, 2311, (st2312)
- 203 *Dendroica aestiva*, Baird, No 321, 322, 1330, (st1331) 1332,
- 204
- 205
- 206
- 207
- 208

209

210

Dendroica discolor, Baird, No 328,

211

212

213

214

215

216

217

Setophaga ruticilla, Sw, No 329, 330, 331, 332,

218

219

220

Pyrranga rubra, Vieill, No 308," *cooperii* No 1510,

221

Pyrranga aestiva, Vieill, No 2264.

222

Pyrranga hepatica, Sw, No 1497.

223

224

225

Hirundo horreorum, Barton, No 157, 1499, (st, 1521)

226

Hirundo lunifrons, Say, No 333, 334, 2404.

227

Hirundo bicolor, Vieill, No 101, 335, 551, 1013, 1014.

- 228
- 229 *Cotyle riparia*, Boie, No 1629, (st, 1630) 2402.
- 230 *Cotyle serrispennis* Bon. No 1514, (st, 1515).
- 231 *Progne purpurea*, Boie, No 1506, 1621, 1622, 1623, (st, 1624)
Progne cubis, No 2115,
- 232 *Ampelis garrulus*, L, 2394, 2395, (Stern, 2396.)
- 233 *Ampelis cedrorum*, Baird, No 32, 64, 65, 336,
- 234
- 235
- 236 *Collyrio borealis*, Baird, (st, No 1474.)
- 237
- 238
- 239
- 240 *Vireo olivaceus*, Vieill, No 337, 338, 339, 2314, (st, 2315)
 " *vicinior*, No 1460, (st, 1461.)
- 241
- 242
- 243
- 244
- 245
- 246

247

248

249

250

251

252

253

Mimus polyglottis, Boie, No 340, 341, 883,

254

Mimus carolinensis, Gray, No 342, 343, 344, 345,

255

256

Harporhynchus redivivus, Cab, No 1567,

257

258

Harporhynchus crissalis, Henry, (St. No 1465,)

259

260

261

Harporhynchus rufus, Cab, No 45, 346, 347, 2300, (St. 2301)" *palmeri*, (St. No 1478,)

262

Campylorhynchus brunneicapillus, Gray, No 1402, 1516, (St. 1517)

263

264

265

Thriothores ludovicianus, Bon, No 2317,

266

267

268 *Cistothorus palustris*, Cab, No 348,269 *Cistothorus stellaris*, Cab, No 1348,270 *Troglodytes aedon*, Vieill, No 349, 2439271 *Troglodytes parkmanii*, Aud, No 1513,

272

273 *Troglodytes hyemalis*, Vieill, No 2308,

274

275 *Certhia familiaris*, No (st, 1507) 1713.

276

277 *Sitta carolinensis*, Gm, No 350, 351, 2198, 2199 (st, 2200)278 *Sitta aculeata*, Cassin, No 2398, (stern, 2405)279 *Sitta canadensis*, Linne, No 352, 353,

280

281

282 *Polioptila caerulea*, Schat, No 355, 356,

283

284

- 285 *Lophophanes bicolor*, Bon, No 354, 2195. (St, 2196) 2288,
- 286
- 287 *Lophophanes inornatus*, Cassin, No 1495, (St, 1496)
- 288 *Lophophanes wollweberi*, Bon, (St, No 1496.)
- 289 *Parus septentrionalis*, Harris, No 2407, 2408,
- 290 *Parus atricapillus*, Aud, No 357, 358, (St. 2220)
- 291
- 292
- 293 *Parus carolinensis*, Aud, No 1371, 1372, 1373, 1374,
- 294
- 295
- 296
- 297
- 298
- 299
- 300
- 301
- 302 *Exemophila alpestris*, Boie, No 359, 913, 914, (St, 1430.) 1434, 2406,
- 303

304

305 *Carpodacus purpureus*, Gray, No 382, 1375,

306

307 *Carpodacus cassinii*, Baird, No 2095,308 *Carpodacus frontalis*, Gray, No 1501. (St, 1502) 1519,

309

310

311

312

313 *Chrysomitris tristis*, Bon. No 375, 376, 1204, 1376.314 *Chrysomitris psaltria*, Bon No 1493 (St, 1494)

315

316

317

318 *Curvirostra americana*, Wilson, No 374,

319

320 *Aegisthus linarius*, Cab, No 2397 (Stern, 2399.)

321

322 *Leucosticte tephrocotis*, Sw, (Stern 2400) 2401,

323

324

325 *Plectrophanes nivalis*, Meyer, No 2409, 2410,

326

327

328

329

330 *Plectrophanes maccoyii*, No 1684,

331

332 *Passerculus savanna*, Bon, No 383, 384, 385, 1333, 1334, (st, ~~V332~~)

333

334

335

336

337 *Passerculus gramineus*, Baird, No 1663, 1664, 1665, (st, 1666)

338

339

340

341

342

343

344 *Chondestes grammacus*, Bon, No 2112.345 *Zonotrichia leucophrys*, Sw, No 2117.

346

347

348

349 *Zonotrichia albicollis*, Bon, No 371, 372, 373, 1377, (St, 2302)350 *Junco cinereus*, Cab, No 1518.

351

352

353

354 *Junco hyemalis*, Sclat. No 4. 386, 387, 388, 389, (St, 2194)

355

356

357 *Spizella monticola*, Baird, No 390, 1378, 2403.358 *Spizella pusilla*, Bon, No 380, 1447, (~~1448~~), 2293, 2294, 2310.359 *Spizella socialis*, Bon, No 381, (St)." *arizonae*, Coues, No 1488,

360

361 *Spizella breweri*, Cassin, No 1503, 1504. (St, 1505)

362

363 *Melospiza melodia*, Baird, No 392, 1379, (st, 2130) 2201, 2202, 2289

364

365

366

367 *Melospiza fallax*, Baird, No 976,

368

369 *Melospiza palustris*, Baird, No 369, 370, (st, 2286) 2303,

370

371

372

373

374 *Passerella iliaca*, Sw, No 368, 2262. (St, 2263)

375

376

377 *Calamospiza bicolor*, Bon, No 1486 (St, 1487) 1610,

378 *Euspizza americana*, Bon, No 367, 1636, 1637, 1638 (st, 1639)

379

- 380 *Guiraca ludoviciana*, Sw, No 1136, 1346, (H. 1346)
- 381 *Guiraca melanocephala*, Sw, No 2110,
- 382
- 383
- 384
- 385
- 386
- 387 *Cyanospiza cyanea*, Baird, No 391,
- 388
- 389
- 390 *Cardinalis virginianus*, Bon, No 40, 360, 361, 362, (H. 1278)
- 391 *Pipilo erythrophthalmus*, Vieill, No 363, 364, 365, 366, 2280,
(st, 2281)
- 392
- 393
- 394
- 395
- 396
- 397 *Pipilo mesoleucus*, Baird, No 1489,
- 398

- 399 *Dolichonyx oryzivorus*, Sw, No 37, 79, 394, 395, 584, ¹³⁴⁴(~~1044~~)
- 400 *Melothrus pecorus*, Sw, No 396, 1325,
- 401 *Agelaius phoeniceus*, Vieill, No 70, 117, 397, 398, 399,
- 402
- 403
- 404 *Xanthocephalus iserocephalus*, Baird, (St, No 1479.) 1492,
- 405
- 406 *Sturnella magna*, Swain, No 14, 400, 401, 402,
- 407 *Sturnella neglecta*, Aud, (St, No 1471.) 1612, 1613, 1614, 1615,
- 408
- 409
- 410
- 411
- 412
- 413
- 414
- 415 *Icterus baltemore*, Daud, No 403, 1627, (St, 1628,)
- 416 *Icterus bullockii*, Bon, (St, No 1472) 1520, 2118, 2411,
- 417 *Scolecophagus ferrugineus*, Sw, No 404, 405, 406, 809,

- 418 *Scolecophagus cyanocephalus*, Cal, No 939, (St. 1473)
- 419
- 420
- 421 *Quiscalus versicolor*, Vieill, No 39, 407, 408, 409, 824 (St. 1279)
- 422
- 423 *Corvus corax*, Linné, No 410, 707, 927, 1467.
- 424
- 425 *Corvus cryptoleucus*, No 411.
- 426 *Corvus americanus*, Aud, No 133, 412, 413, 838, 1568,
- 427
- 428
- 429 *Corvus ossifragus*, Wils. No 414.
- 430 *Picicorvus columbianus*, Bon, No 926, 979, 1391.
- 431 *Gymnokitta cyanocephala*, No 971.
- 432
- 433 *Pica nuttalli*, Aud, No 1400,
Pica melanocephala No (st, No 2102)
- 434 *Cyanura cristata*, Sw, No 115, 415, 416, 417, 418,
- 435
- 436

437

438

Cyanocitta woodhousei, Baird (St, No 1469)

439

440

441

442

443

Perisoreus canadensis, Bon, No 419,

444

445

Columba fasciata, Say, No 1490,

446

447

448

Ectopistes migratoria, Sw, No 424, 958,

449

450

451

Zenaidura carolinensis, Bon, No 114, 425, 426, 427, 428,

452

453

454

456

- 457 *Meleagris gallinavo*, L, No 141, 429, 430,
- 458 *Meleagris mexicana*, Gould, No 965, 966, 1390,
- 459
- 460 *Tetrao canadensis*, L, No 435, 1677, 1678, 1679.
- 461
- 462 *Centrocercus urophasianus*, Sw, No 1426, (St. 1427) 1672, 1673, 1674,
- 463 *Pediocetes phasianellus*, Baird, No 436, 1428 (St. 1429)
- 464 *Cupidonia cupido*, Baird, No 140, 437, 438, 439,
- 465 *Bonassa umbellus*, Steph, No 126,
- 466
- 467 *Lagopus albus*, Aud, No 940,
- 468
- 469
- 470
- 471 *Ortyx virginianus*, Bon, 31, 77, 78, 125, 440 (St. 1230)
- 472
- 473 *Oreolyx pictus*, Baird, No 925,
- 474 *Lophortyx californicus*, No 973,
- 475

476

477

Cyrtonyx massena, Gould, No 1389, 1392, (St. 1393.)

478

Grus americanus, Ord, No 441, 2076,

479

Grus canadensis, Temm, No 1675, 1688, 2098.

480

481

482

483

484

Demigretta ludoviciana, Baird, No 442,

485

486

Ardea egretta, Wilson, No 2227.

487

Ardea herodias, Linne, No 582, 1012, 2189, (Stern 2190)

488

489

490

491

492

Botaurus lentiginosus, Steph, No 1289,

493

Butorides virescens, Bon, No 443, 444, 445, 1011 (St. 1281)

494

- 495 *Nycticorax gardeni*, Baird, No 446,
- 496
- 497
- 498
- 499 *Ibis alba*, Vieill, No 447, 1162,
Ibis gurauna No 2097, (St, 2104)
- 500 *Ibis ordi*, Bon. No 448,
- 501 *Platalea ajaja*, Linne, No 1016, 1163,
- 502
- 503 *Charadrius virginicus*, Bosc, No 867, 868, 920,
- 504 *Aegialitis vociferus*, Cassin, No 450, 606, 607, 991, 2260 (St, 2261)
- 505 *Aegialitis montana*, No 1681, 1682, 1683,
- 506
- 507
- 508
- 509
- 510
- 511
- 512 *Haematopus palliatus*, Tem, (Stein No 2246,) 2255, 2256.
- 513 *Haematopus niger*, Pallas, No (St, 1552)

514

515

516

517

Recurvirostra americana, Gm., (st. No 1387, ♂) 1596, 1598, 1599, 1676, 2100,

518

Himantopus nigricalles, Vieill., No 1359, 2099,

519

Steganopus wilsonii, Coues, No 1435, 1436, (st. 1437) 1640,

520

Phalaropus hyperboreus, No 2120, 2122, 2123, (st. 2124.)

521

522

Philohela minor, Gray, No 116, 449,

523

Gallinago wilsonii, Bon., No 151, 450, 898, 1291, (st. 1292)

524

525

526

527

528

529

530

Tringa americana, Cassin, No 451," *minutilla*, No 1616, 1617, 1618, 1619, (st. 1620)

531

Tringa maculata, Vieill., No 862, 1343, 1653, (st. 1654)" *bairdii*, Coues, No 1626,

532

- 533 *Tringa bonapartii*, Schleg. No 1631, 1632, 1633, 1634, (st, 1635)
- 534
- 535 *Ereunetes pusillus*, Coues, No 1480, ~~1481~~, (1482 st)
- 536
- 537 *Totanus semipalmatus*, Willet, No 1605 (st, 1606) 1607, 1608, 1609,
Symphemia semipalmata, Hartl, No 2096,
- 538
- 539 *Gambetta melano-leuca*, Bon, No 1293,
- 540 *Gambetta flavipes*, Bon, No 102, 452,
- 541 *Rhyacophilus solitarius*, Bon, No 453,
- 542 *Heterosceles incanus*, Coues, No ^{Sternung} (2226)
- 543 *Tringoides macularius*, Gray, No 454, 455,
- 544
- 545 *Actiturus bairdianus*, Bon No 1425, (st, 1658) 1659, 1660,
- 546
- 547 *Limosa fedosa*, Ord. No 456, 1652, 1698,
- 548
- 549 *Numenius longirostris*, Wilson, No 458, 459, 1079,
- 550 *Numenius hudsonicus*, Latham, No 457,
- 551 *Numenius borealis*, Latham, No 928, 829,

552 *Rallus crepitans*, Gmel, No 2258,

553

554 *Rallus virginianus*, Linné, No 977,

555 *Porzana carolina*, Vieill, No 460, 461,

556

557

558

559 *Fulica americana*, Gmel, No 124, 462, 463, 464,

560

561 *Cynus americanus*, Sharp, No 12, 465, 901, 902, (Steen, 2389)

562

563 *Anser hyperboreus*, Pallas, No 930,

564

565 *Branta canadensis*, L, No 17, 470, 471, 472, 1127, (St. 1671)

566

567

568

569 *Branta hutchinsii*, Bon No 931, 932, 933,

570 *Branta bernicla*, L, No 473, 474, 2187 (Steen, 2188,

- 571 *Breuta nigricans*, Cassin, No 941,
- 572
- 573
- 574
- 575
- 576 *Anas boschas*, L, No 477, 478, 839, 1115,
- 577 *Anas obscura*, Gm, No 479,
- 578 *Defila acuta*, Tennyrs. No 480, 481, 1112, (St, 1284)
- 579 *Nettion carolinensis*, Baird, No 482, 483, 1107,
- 580
- 581 *Querquedula discors*, Steph, No 441, 934,
- 582 *Querquedula cyanoptera*, Baird, (St, No 1388, 8) 1668, 2106, 2119,
- 583 *Spatula clypeata*, Boie, No 484, 485, 942, 943, 1122 (St, 1285)
- 584 *Chaulelasmus streperus*, Gray, No 1691, 1692, 1693, 1694,
- 585 *Mareca americana*, Steph, No 486, 487, 488, 935, 1114,
- 586
- 587 *Aix sponsa*, Boie, No 109, 489, 490, 491,
- 588 *Fulix marila*, Baird, No 492,
- 589 *Fulix affinis*, Baird, No 493, 494, 495, 1124,

- 590 *Fulix collaris*, Baird, No 496, 497, 498, 2193.
- 591 *Aythya americana*, Bon. No 499, 500, 946, 947, 1123,
- 592 *Aythya vallisneria*, Bon. No 501, 502, 503, 504, 1125,
- 593
- 594 *Histrionicus torquatus*, Bon. No 513,
- 595 *Bucephala albeola*, Baird, No 129, 509, 510, 511, 512,
Bucephala islandica, Baird, No 1695, 1696, (st. 1697)
- 596 *Bucephala americana*, Baird, No 505, 506, 507, 508, 1128, (st. 1468)
- 597 *Harelda glacialis*, Leach, No 514, 515, 918, 1119,
- 598
- 599
- 600
- 601 *Oedemia velvetina*, Cassin, No 627, 628, 1132,
- 602 *Pelionetta perspicillata*, Kaup. No 894,
- 603
- 604
- 605
- 606
- 607
- 608 *Somateria spectabilis*, Leach, No 917,

- 609 *Eristomura rubida*, Bon, No 516, 517, 1111,
- 610
- 611 *Mergus americanus*, Cassin, No 8, 614, 840, (st, 1286) 2009.
- 612 *Mergus serrator*, Linne', No 1130, (st, 2380) 2391,
- 613 *Isophodites cuculatus*, Reich, No 518, 519, 1118,
- 614
- 615 *Pelecanus erythrorhynchus*, Gm, No 520, 1076, 2092 (st, 2093)
" *trachyrhynchus*, Lath, No 1689. (st, 1690.)
- 616 *Pelecanus fuscus*, Linne', No 895, 1037,
- 617
- 618
- 619
- 620 *Graculus carbo*, Gray, No 521,
" *bicristatus*, Baird. (st, No 1287)
- 621
- 622
- 623 *Graculus dilophus*, Gray, No 1699, 1700, (st, 1701)
- 624
- 625
- 626
- 627

628 *Plotus ankinga*, Linne, No 522,

629

630 *Diomedea exulans*, Linne, No 523,

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646 *Fregatta lawrencii* Bon, No 524,

- 647
- 648
- 649
- 650
- 651
- 652
- 653
- 654
- 655 *Stercorarius cephus*, Brünn, No 916.
- 656 *Larus glaucus*, Brünn, No 1246.
- 657 *Larus glaucescens*, Licht, No 900.
- 658
- 659
- 660
- 661 *Larus argentatus*, Brünn, No 826, 1055, 1657 (st, 1658.)
- 662 *Larus occidentalis*, Aud, No (st, 2090)
- 663 *Larus californicus*, Lawr, No (st, 2101).
- 664 *Larus delawarensis*, Ord, No 153.
- 665

666

667

668 *Larus franklinii*, Bruch, No 4625,

669

670 *Chroicocephalus philadelphia*, Lawr, No 525, 899,

671

672 *Rissa tridactyla*, Bon, (St No 1248,)

673

674

675

676

677

678

679

680

681 *Sterna anglica*, Nutt, No 2247, 2248, 2249, 2250, (Ster, 2251)

682

683 *Sterna regia*, Gambel, (Sternum No 2245,

684

- 685
- 686
- 687
- 688
- 689
- 690
- 691 *Sterna forsteri*, Natt, No 1600, (st, 1601) 1602, 1603, 1604 2114.
- 692
- 693
- 694 *Sterna hirundo*, Wilson, No 1662, 1702, 2252, 2253, (st, 2254)
- 695 *Hydrochelidon plumbea*, Wilson, No 173, (st, 2103) 2105, 2125,
 11 *fissipes* Coues, No 1655, (st, 1656)
- 696
- 697 *Phynchops nigra*, Wils, No 2257, 2476, 2477, 2478.
- 698 *Colymbus torquatus*, Brunn, No 611.
- 699 *Colymbus arcticus*, Linné, No 944,
- 700 *Colymbus pacificus*, Laxer, No 526,
- 701 *Colymbus septentrionalis*, Linné, No 527,
- 702 *Podiceps grisegena*, Gray, No 919,
- 703

704 *Podiceps occidentalis*, Lahr, No 2109.

705

706 *Podiceps cornutus*, Latham, No 1120, 1121,

707

708

709 *Podilymbus podiceps*, Lahr, No 720,

710

711

712

713 *Mormon corniculata*, Naum, (St, No 1249.)

714

715

716

717

718

719 *Phalaris cristatellus*, Bon, (St, No 1251.)

720

721

722

723

724

725

Ombria psittacula, Zehsch. (St. No 1250.)

726

*Uria*No 1249.

727

728

729

730

Goniaphea Ludoviciana 2426. 2427

731

732

733

734

735

736

737

738

739

Hedymeles melanocephalus, No 1511, (1512)

740

Stelluta calliope No (St. 1522)

741

- I *Columba domestica*, L, No 18, 420, 421, 422, 423,
 T *Numida meleagris*, L, No 27, 434,
 V *Gallus communis*, L, No 38, 41, 431, 432, 433, 1365,
 V *Anas domestica*, L, No 97, 98, 475, 476 (It, 1283)
 V *Anser cygnoides*, L, No 149, 150
 V *Psittacus erythacus*, L, No 275,
 V *Chrysotis ochrocephala*, Gmel, No 276,
 X *Fringilla canaria*, L, No 377, 378, 379, 593, 1010, (It, 1277)
 X *Anser domesticus*, L, No 466, 467, 468, 469, 1242, (It, 1282)
 X *Pavo cristata*, L, No 586, 1044, 1824,
 X *Cairina moschata*, L, No 1051,
 X *Estrellda pyrrhula*, L, No 1101,
 XV *Carduelis elegans*, Baird, No 1110,
 XV *Strutio camelus*, Linné, No 1438,
 XV *Dromaius novae-hollandiae*, Lath, No 1438,
 XV *Cygnus olor* Linné, No 1586, 2419
 17 *Gyparchus fapa* 2459
 18 *Neophron perenopterus* 2460
 19 *Phoenicopterus Antignorum* 2498

- 1 *Siren lacertina*, L., No 1322.
- 2 *Pseudobranchius*
- 3 *Necturus lateralis*, Say, No 1922.
- 4
- 5 *Amphiuma*
- 6 *Muraenopsis tridactylus*, Cuvier, No 2210.
- 7 *Menopoma alleghaniensis*, Harlan, No 165, 1924, 1935.
- 8
- 9 *Amblystoma tigrinus*, Baird, No 679.
- 10 " *macrodon*, Baird, No 857, 963, 964,
" *punctatum* 2424
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19

20

21

22

23

24

25

26

27

28

29

30

31 *Dicamptodon*32 *Batrachoseps*

33

34

35 *Hemidactylium*36 *Plethodon glutinosus*, Green, No 915, 2019,

37

38

39

40

41

42

43

44 *Stereochilus*45 *Manculus*

46

47 *Spelerpes ruber ruber*, Daudin, No 549, 2005;

48

49

50

51

52

53

54 *Gyrinophilus*55 *Anaides*

56

57 *Deomognathus fuscus*, Raf, No 2052, 2054.

58

59

60

61 *Diemictylus viridescens*, Raf., No 1993, 2003,
 " *torosus*, Ereh., No 2046.

62

63

64 *Bufo americana* Leconte, No 80, 1943,

" *erythronotus*, Holbr., No 1102,

65 " *quercicus*, Holbr., No 1232,

" *microscaphus*, Girard, No 1401, 1541, 2177

66 " *frontosus*, No 1531, 1532,

" *cognata*, Holbr., No 1538, 1539,

67 " *lentiginosus*, Shaw, No 1981,

" *columbiensis*, Baird, No 2172,

68 " *halophilus*, Baird, No 2179.

69

70

71

72

73

74

75

76

77
78 *Engystoma carolinense*, Halbr. No 93, 1265,

79 *Acris grillus*, Leconte, No 167,

80
81 *Chorophilus*

82
83
84
85
86
87
88 *Hyla carolinensis*, Pennant, No 2039,

89 " *versicolor*, Leconte, No 2050, 2051,

90

91

92

93

94

95

96

97

98

99

100

101 *Smilisca*102 *Epirhexis*103 *Lithodytes*104 *Ipsa*

105

106

107 *Scaphiopus*

108

109

110

111 *Rana halcina*, Holbr. No 6," *pipiens*, Linné, No 60, 1923,112 " *palustris*, Holbr. No 884, 1107, 1940," *pretiosa*, Baird No 2180,113 " *temporaria*, Linné, No 2207,

114

115

116

117

118

119

120

121

122

123.

Exotic Batrachia

Apsloopsis

Disarticulated

- Crotalus horridus*, Linné, No 545, 615, 1968, 2465
 " *adamanteus*, Beauv., No 700, 1582, 1966, 2214,
 " *atrox*, B & G, No 993, 1757, 1958, 1979,
 " *confluentus*, Say, No 1980, 2043,
 " *lucifer*, B & G, No 2174,
 " *molossus*, B & G, No 2211,

- Caudisoma miliaria*, Linné, No 1952, 1953, 1935, 1978,
 " *tergemina*, Say, No 1992, 2215.

- Ancistrodon contortrix*, B & G, No 1003, 1959, 2212, 2213,
 " *piscivorus*, Lacep., No 1925,

- Elaps fulvius*, L., No 90, 1319, 1581,
 " *tenere*, B & G, No 1956, 1972, 1976.

- Carpophiops amoenus*, Say, No 94, 853, 2029,
 " *helenae*, Kennic., No 1941,

Virginia

- Heldea striatula*, Linné, No 1983,
Tantilla nigriceps, Kenn. No 1020,
 " *gracilis*, B & G, No 2036,

*Abaster**Farancia abacura*, Holbr, No 1946, 4041,*Chilomeniscus**Chionactis**Contia**Sonora**Iodia**Gyalopsium**Cemaphora coccinea*, Blumenb. No 2038,*Rhinochilus lecontei*, B & G No 1733, 1963,*Osceola**Ophibolus gentilis*, B & G, No 83, 1091," *getulus*, B & G, No 701, 1947, 1984," *baylei*, B & G, No 994, 2012, 2021," *doliatus*, B & G, No 1038," *sayi*, B & G, No 1090, 1974," *coccineus*, Setileg, No 1945," *triangularis*, Boie, No 1961," *polyzonus*, No 2018,

1875.

Diadophis dovillei, B & G, No 706, 1414.

" *punctata*, B & G, No 831, 2014.

" *amabilis*, B & G, No 851, 1970.

Coniophanes

Hypsiglena ochrothyncha, Cope, No 2044.

Sibon annulatum, Linné, No 1964.

Trimorphodon

Phymothyrus grahamiae, B & G, No 1941.

Dromicus

Cyclophis vernalis, De Kay, 548, 590, 1231, 2025.

" *aestivus*, Linné, No 1971, 1975.

Coluber vulpinus, B & G, No 743, 1931.

" *confinis*, B & G, No 1087, 1928.

" *emorgi*, B & G, No 1089, 1969.

" *guttatus*, Linné, No 1213, 1948, 2011, 2216.

" *quadrivittatus*, Holbr., No 1958, 2010.

" *obsoletus*, Say, No 2017.

" *alleganiensis*, B & G, No 1018.

Spilotes

Pityophis belonna, B & G, No 980, 1223, 1999, 2047.

" *milleanii*, B & G, No 1221, 1222.

" *sayi*, Schleg., No 1536, 1988.

" *mexicana*, Duméril, No 1987.

Bascanium constrictor, L., No 53,

" *flavigularis*, B & G, No 702,

" *testaceum*, Say, No 982, 1759, 1991, 2031,

" *taeniatum*, Hallow, No 1529, 1934,

" *laterale*, Hallow, No 1530,

" *flagelliformis*, Catesb, No 1944, 1951,

Chilopoma

Eutaenia sirtalis, B & G, No 42, 546, 2001, 2007,

" *marcianna*, B & G, No 84, 547, 1233, 2013, 2048,

" *dorsalis*, B & G, No 85, 1318, 1933,

" *Saurita*, B & G No 705, 2002,

" *parietalis*, B & G, No 911,

" *Faireyi*, B & G, No 995, 1088, 2008,

" *infernalis*, B & G, No 1227, 1228,

" *elegans*, B & G, No 1229,

" *ordinata*, B & G, No 1230, 1533, 1936, 2176,

" *vagrans*, B & G, No 1527, 1528, 2024, 2026,

" *obscura*, Cope, No 1848,

" *cooperii*, Kennic, No 1939,

" *megalaops*, Kennic, No 1973,

" *proxima*, Say, No 1994,

" *ornata*, Baird, No 1998, 2027,

" *radix*, B & G, No 2022, 2023, 2173,

" *pickeringii*, B & G, No 2030,

" *twiningii*, Cues & Yarrow, No 2173.

Storeria occipitomaculatus, Storer, No 1989,

" *Dekayi*, Holbr, No 2033, 2053,

Tropidochonium

Tropidonotus leberis, B & G, No 598, 1994, 2034.

" *Sigson*, B & G, No 629, 830, 1558, 1949,

" *grahamii*, B & G, No 858, 1982,

" *woodhousei*, B & G, No 1214.

" *fasciatus*, Linné, No 1950, 1962, 1977.

" *erythrogaster*, Shaw, No 2006,

Helicaps

Heterodon platyrhinos, B & G, No 703, 1916, 1954, 1957.

" *neivicus*, B & G, No 768, 1226, 1760, 1986, 2000,

" *cognatus*, B & G, No 1086,

" *simus* B & G, No 1583, 1587, 2178,

" *atmodes*, B & G, No 1926,

" *niger*, B & G, No 2016.

Charina

Lichanura

Stenostoma

1 *Boa constrictor*, Linné, No 542, 543, 544,

Rhineura floridana, Cope, No 1910, 1995,

Ariella

Oligosoma

Eumeces *absolutus*, Baird, No 962, 1103,

" *guttulatus*, Hallow, No 998, 999,

" *fasciatus*, Linné, No 1215, 1216, 1990, 2028,

" *skeltonianus*, B & G, No 2181.

Xantusia

Cnemidophorus *sex lineatus*, Linné No 91, 92, 541, 1271, 1272, 1273,
1274, 1542, 1543,

Cnemidophorus *tessellatus*, Say, No 1717, 1718, 1719, 1720,

Verticaria

Opheosaurus *ventralis*, Daudin, No 1915, 1937, 1960, 2049,

Barisia

Gerrhonotus *multicarinatus*, Blainv, No 1906,

Heloderma horridum, Wieg., No 166, 1736, 2243,
Holbrookia maculata, Girard, No 684, 1004, 1005,

Callisaurus

Uma

Sauromalus ater, Dum., No 1753, 1909, 1921,

Crotaphytus collaris, Say, No 742, 803, 1584, 1585, 1816, 1927,

" *wislizenii*, B & G, No 1905, 1930, 2015.

Dipsosaurus dorsalis, B & G, No 1904.

Uta stansburiana, B & G, No 2035,

Sceloporus undulatus, Harlan, No 86, 88, 89, 539, 540,

" *spinosus*, Wieg., No 1104, 1442, 1929,

" *consobrinus*, No 1540, 1967,

" *poinsettii*, B & G, No 2040,

" *clarkii*, B & G, No 2175.

Phrynosoma cornutum, Harlan, No 82, 538, 1983,

" *douglassii*, Girard, No 1399, 1443, 1913, 2020,

" *regale*, No 1534,

- Phrynosoma maccallii*, Hallow, No 1555,
 " *coronatum*, Blainv, No 1559, 1561, 1965,
 " *blainvilliei*, Gray, No 1562, 1903,
 " *platyrhinum*, Girard, No 1563, 1564, 1912, 2046,
 " *modestum*, Girard, No 1565, 1566, 2032,
 " *hernandezii* Girard No 2217, 2218, 2219,

Cyclura hemilopha, Cope, No 1908,
Anolis, *principalis*, Holbr, No 1914, 2042,

Coleonyx

Sphaerodactylus

Phyllodactylus

Diplodactylus

Exotic Lacertilia

- I
T
V
V
(*Iguana cornutus*,) *Metapocerus cornutus*, Wagler, No 44,
Plestiodon erythrocephalus, Holbr, No 876,
Iguana fasciata, No 1444,
Iguania rhinolopha, Wiegman, No 1908,

Sphargis

Thalassochelys caenana, Linné, No 528, 529, 577, 676, 1919.

Eretmochelys

Chelonia mydas, Schw., No 530, 682, 789,

Amyda

Aspideonectes

Chelydra serpentina, Schweig., No 49, 531, 843, 844,

*Macrochelys**Artemochelys*

Cinosternum pennsylvanicum, Bell., No 666, 667, 668, 669, 674,

Pseudemys rugosa, Shaw, No 9, 652, 653, 654, 655,

" *concinna*, Leconte, No 1252,

Malacoclemys concentrica, — No 154, 532,

Chrysemys picta, Herm., No 534, 535, 1019,

Chelopus guttatus, Schneider, No 172,

" *insculpta*, Leconte, No 533,

*Emys**Cistudo clausa*, L., No 2, 536, 537,*Testudo carolina* Linne, No 1589,*Alligator mississippiensis*, No 819, 1576, 1938, 2242,*Crocodilus**Exotic Testudinata*

*Microperca**Catnotus**Alvarius**Nothonotus**Poecilichthys**Boleichthys fuciformis*, Girard, No 74.*Hololepis**Pleurolepis**Boleosoma**Dipslesium blennioides*, Jordan, No 2415.*Etheostoma*

Perca flavescens, Mitchel, No 24, 568, americana, Cuv. No 1833, 1884.

Hypsochromus

Percina caprodes, Girard, No 170,

Stizostedion americanum, Girard, No 148, 1875, 2355,

" *grisea*, No 1841,

" *canadensis*, No 2333

Proccus lineatus, Gill, No 8, 43,

" *chrysops*, Raf., No 1872,

Moxone americana, Mitchel, No 23, 558,

Micropterus salmoides, Gill, No 147, 1789, 1799,

" *melanarius*, — No 1142, *nigricans*, Cuv. No 1787

Centrarchus irideus, C. & V., No 2413,

Pomoxys annularis, Raf., No 2335,

Hyperistius

Archoplites

Ambloplites rupestris, Raf., No 1877,

Acantharchus

Hemioplites

Coplandia

Emmeacanthus

Mesogonistius

Cheuenobryttus

Telipomis cyanellus, Raf., No 2330,

Ichthelis auritus, L., No 5, 865 1886

" *pallidus*, Walb., No 1883,

" *apiatus*, Cope, No 1893,

Eupomotis speciosus, Holbr, No 1889.

Pomotis aureus, Gill, No 816, 1735, 1747,
 " *obesus*, Girard, No 817, 1150,

Aphredoderus

Sternotremia

Hapsleidonotus grunniens, No 1579, 1796,

Eutychelithus

Pegedichthys

Uranidea

Cottopsis

Trigloopsis

Gobiosoma

Eleotris

Philypnus

Herichthys

Lota lacustris, Walb, No 1816,

Gasterosteus biculeatus, Shaw, No 1850, pungitius, No 2325,

Pygosteus

Apeltes

Eucalia

Labiastes
Cyprinodon

Hydrargyra mayalis, Val, No 881, 1763, 1766.

Fundulus Bairdii, Gill, No 103,

" heteroclitus, Gill, No 880, 1133,

" pisculentus, Mitch, No 1763, 1764,

Xenisma

Micristius

Zygonectes

Sweet Water Fishes

*Lucania**Girardinichthys**Girardinus**Gambusia**Adinia**Mollinesia**Melanura limi*, Agass, No 1848,*Amblyopsis**Typhlichthys**Chologaster**Esox ester*, Les, No 146, 609, 1809," *americanus*, Lac, No 1790,*nobilior*, Thompson No 1817,*Picorellus reticulatus*, Stor, No 16, 557.

*Percepsis**Astyanax**Salma fontinalis*, Mitch, No 58, 571, 1846" *confinis*, Gill, No 144, 1288," *aguassae*, Girard, No 1885," *spilurus*, Cope, No 2058." *sebago*, Girard No 2367,*Thymallus unicolor*, No 1578,*Stenodus unicolor*, No 1578,

Sweet Water Fishes

*Argyrosomus**Coregonus albus*, Perly, No 131,*Glydon tergus*, Les. No 1797,*Alosa sapidissima*, Storer, No 36, 570,*Pomolobus pseudo-harengus*, Willem, No 1070, 1071, 1072, 1073, 1078," *mediocris*, Mitch, No 1786,*Dorosoma cepedianum*, Gill, No 108, 567,*Exoglossum maxillingua*, Les, No 587,*Sarcidium**Chondrostoma**Acrochilus**Orthodon**Campostoma**Pimephales**Hyborhynchus**Cochlognathus*

Codoma

Glybognethus regius, Gill, No 45, 560,

Coliscus

Ciola

Dionda

Ericymba

Semotilus atroteneus, Cope, No 169, 585, 866, 1874,

" *pulchellus*, Gill, No 573,

" *corporalis*, Mitch, No 1859,

Pogonichthys

Platygobio

Ceraticthys biguttatus, Girard, No 588, 592,

Stilbe americana, Linne, No 599, 1724,

Apocope

Rhinichthys nasutus, Agres, No 1852, 1891.

Agosia

Phenacobius

Tiaroga

Algoma

Tigoma

Protoporus

Hybopsis hudsonicus, Cope, No 879," *americanus*, Girard, No 1849.

Hemitremia

Chrosomus

Proximus

Cheonda

Algansea

Siboma

Myloleucus

Ptychochilus

Gila

Lythrurus

Luxilus kentuckiensis, Gill, No 43,

" *cornutus*, Mitch, No 1851,

Cyprinella

Moniana

Photogenis

Minnilus

Lavinia

Notemigonus americanus, Jordan, No 1810,

Richardsonius

Mylochilus

Carassius auratus, Gill, No 28, 569, 630, 1742,

Cyprinus carpio, L, No 2334.

Plagosternus

Meda

Sweet Water Fishes

*I. episdorneda**Catostomus* *teres*, Gill, No 662, 663, 664, 665, 1831," *nigricans*, LeS, No 1844," *longirostris*, LeS, No 1856." *commersonii* No 2346,*Moxostoma* *oblonga*, Agas, No 806, 807*Pantosteus**Hypentelium* *nigricans*, LeS, No 57, 572.*Erimyzon* *oblongum*, Mitch, No 1805.

Tiretulus

Placopharynx
Carpioles

*Ictalhyobus**Bubalichthys**Cycleptus**Ictalurus punctatus*, Raf., No 1882.*Amiurus nigricans*, Le Sueur, No 21, 563, 564," *atrevius*, DeKay, No 1143," *furcifer*, Cuvier, No 1727, 1728," *lophius*, Girard, No 1784," *nebulosus*, Le S., No 1836," *melas*, Raf. No 2322," *albidus*, Le S., No 2336" *lividus*, Raf. No 2339,

Gronias

Noturus gyrinus, Raf, No 2324.
 " *exilis*, Nelson, No 2326,

Hoplademus

Anguilla vulgaris, Flem, No 25, 1094, 1095, 1105,

Amia calva, Linne', No 1803,

Lepidosteus osseus, Lacep. No 62, 565, 566, 1823,

" *platystomus*, Raf, No 1827,

Litholepis

Polyodon folium, No 4587, 1808,

Acipenser brevirostris, Le Sueur, No 961, 1152,

" *oxyrinchus*, Mitch, No 1864,

" *ruthenus*, No 2342,

Sweet Water Fishes

Scaphirhynchops.

Petromyzon

Adenda

- 1 *Rhamdia sumichrasti*, Gill, No 51,
- 2 *Hypsilepis cornutus*, Mitch, No 168, 864,
- 3 *Hyperistius carolinensis*, Gill, No 823,

Cenchrus

Salt Water Fishes

111

- Centropomus nigricans*, Cuv, No 11, 575, 1834, 1835,
Pseudopleuronectes americanus, Gill, No 13, 1153,
Melanogramma aeglefinus, Gill, No 26, 554,
Tautoga onitis, Günther, No 54, 576,
Belone longirostris, Mitch, No 55, 562,
Scomber grex, Mitch, No 59, 1100,
Sargus ovis, Cuvier, No 61, 574, 1781,
Pomatomus saltatrix, Gill, No 63, 67, 255, 1158,
Parephippus gigas, Gill, No 68, 850,
Leptochenus neucrateoides, Gill, No 71, 2369,
Cryptocanthodes maculatus, Gill, No 81,
Cynoscion regalis, Gill, No 105, 110, 556,
Cheenysetta ocellaris, Gill, No 107, 1771,
Gadus morhua, Linné, No 111, 553,
Pogonias chromis, Gill, No 120, 1096, 2447,
Scionops ocellatus, Gill, No 142, 559,
Hippoglossus americanus, Gill, No 152,
Microgadus tomcodus, Wallb, No 616, 1772,
Brosmus americanus, Gill, No 626,
Eulamia milberlii, No 673, 1269, 1878,
Cybbium maculatum, Cuv, No 790, 1092,
Pseudoscarus guacamaia, Günther, No 812, 846,
Raia undulata, Lacep, No 874,
Liostomus xanthurus, Lacep, No 877, 878, 885, 886, 887,
Chirostoma notatus, Gill, No 882, 1767,
Pristis antiquorum, — No 1015, 1063, 1135,
Galeocerda tigrinus, Gill, No 1052,
Exocoetus exiliens, — No 1054,
Osmerus mordax, Mitch, No 1064,
Megalops thierrii, No 1140,
Phycis americanus, Storer, 1141,
Micropogon undulatus, C. & V, No 1144, 1147, 2349,
umbra alburnus, C & V, No 1146, 1149, 1151, 1154,
Acanthias americanus, De Kay, No 1155,
Lophius americanus, Cuvier, No 1156, 1157, 1164,
Raia laevis, Mitch, No 1159,

- Trygon centrura*, Cuvier, No 1165, 1174, 1588,
Eugomphodus littoralis, — No 1166, 1171,
Cynoscion carolinensis, Baird, No 1146, 1190,
Mustela canis, De Kay, No 1167, 1818,
Oreynus thunnina, — No 1168, 1169, 1170,
Elasmia obscura, No 1172, 1262,
Pagrus argyrops, Cuvier, No 1201, 1202, 1203, 1204, 1212, 1776,
Trachynotus carolinus, Gill, No 1211,
Tetraodon turgidus, Mitch, No 1413,
Trichiurus lepturus, No 1711,
Ceratocanthus aurantiacus, No 1714, 1821,
Argyrosus capillaris, De Kay, No 1715,
Trachynotus ovatus, Linne, No 1716,
Chilomycterus geometricus, L, No 1723, 1839,
Acanthurus chirurgus, Schneider, No 1725,
Batrachus taeu, Linne, No 1726, 1842,
Prionotus volans, Linne, No 1729, 1730, 2356,
Holconotus rhodotus, Girard, No 1739, 1740,
Scarus radians, Cuvier, No 1743, 1744, 1748,
Pimelopterus boscii, Lacep, No 1745, 1770,
Holocentrum sogo, Block, No 1746, 1749, 1750,
Glyphidodon saxatilis, Cuv, No 1751, 1813,
Trachynotus carolinus, Gill, No 1761, 1820,
Saxothrodus bimaculatus, Poey, No 1762,
Blepharichthys crinitus, Gill No 1768,
Vomer setipinnis, Mitch, No 1769,
Holconotus ciliaris, Lac, No 1773,
Poronotus triacanthus, Gill, No 1774,
Tautoglabrus adspersus, Walb, No 1775,
Zoarces anguillaris, Storer, No 1777,
Peprilus gardenii, Gill, No 1778,
Pomoxys hexacanthus, Agass, No 1779,
Albula conorhynchus, Sch, No 1780, 2365,
Menticirrhus nebulosus, Gill, No 1782,
Prionotus carolinus, Linne, No 1783,
Chaenopsetta dentata, Gill, No 1785,

- Lophopsetta maculata*, Mitch, No 1788,
Brevoortia menhaden, Mitch, No 1791,
Epinephelus striatus, Bloch, No 1792,
Hemirhamphus pleii, Val, No 1793,
Dactylopterus volitans, Lac, No 1794, 2414,
Plauronectes glaber, Storer, No 1795, 2359,
Lutjanus caxis, Poey, No 1798,
Sarda pelamys, Cuv, No 1800,
Decapterus punctatus, Mitch, No 1801,
Elops saurus, Linné, No 1802,
Lucinostomus lefragi, Goode, No 1804,
Epinephelus guttatus, Goode, No 1806,
Clupea harengus, Linné, No 1807,
Halatractus zonatus, Mitch, No 1811,
Cottus 18-spinosus, Mitch, No 1812,
Stephanopsis setifer, Bennet, No 1814,
Sphyræna borealis, DeKay, No 1815,
Scaphirhynchops platyrhynchus, Cope, No 1819,
Carengus hippos, Linné, No 1822, 1828, 1888,
Paratractus pringuetus, Cuv, No 1825,
Squalus americanus, Storer, No 1826,
Palinurichthys perciformis, Mitch, No 1829,
Chaenopsetta oblonga, Mitch, No 1830,
Poronotus triacanthus, Peck, No 1831,
Pollochinus carbonarius, Linné No 1832,
Chilichthys turgidus, Mitch, No 1834, 1920,
Alutera cuspidata, DeKay, No 1837,
Trachuraps crumenophthalmus, Bloch, No 1838,
Scomberox scutellatus, Les, No 1840,
Merlucius bilinearis, Mitch, No 1841,
Haemylum xanthoptera, Cuv, No 1843, 1841,
Menticircus littoralis, Holbr, No 1846,
Synodus foetens, Linné, No 1847,
~~*Gasterosteus biculeatus*, Shaw, No 1850,~~
Xenotis solis, Cuv, No 1854,
Bairdiella punctata, No 1855,

- Engraulis* No 1857,
Oxygulis modestus, Girard, No 1858,
Dormitator, No 1859,
Noturus marginatus, Baird No 1860,
Heros No 1861,
Muraenoides mucronatus, Mitch, No 1862,
Electris No 1863,
Ammodytes americanus, De Kay No 1865,
Estrumens leres, De Kay, No 1866,
Apeltes quadracus, Mitch, No 1867,
Trichiurus lepturus, Linné, No 1868, 1869,
Paralabrax clathrata, Girard, No 1870,
Achirus lineatus, Linné, No 1873,
Parephippus quadratus, (Cun) No 1876,
Opisthonema thirsa, Gill, No 1879,
Mugil cephalotes, No 1880,
Coryphaena sueuri, Cuv, No 1881,
Mugil lineatus, No 1887,
Chaenobrytus viridis, Cuv, No 1890,
Haemylus flaviguttatus, Gill, No 1891,
Lagodon rhomboides, Linné, No 1892,
Argyrosus vomer, Lac, No 1894,
Lutjanus blackfordii, Goode & Bean, No 2165,
Klinckhardtius hippoglossoides, No 2206,
Osmerus pacificus, No 2321,
Aspidophoroides monopterygius, No 2323,
Simenchelys parasiticus, No 2327,
Synaphobranchus pinnatus, No 2328,
Cryptocentrotus maculatus, No 2329,
Urophycis regius, No 2331,
Leiostomus obliquus, No 2332,
Onos cimbrius No 2337,
Idus melanotus, No 2338,
Metrocopus anoplus, No 2340,
Sargus Holbrockii, No 2341,
Sphyrna zygaena, No 2343,

<i>Conger oceanica</i> ,	No <u>2344</u> ,
<i>Balistes vetula</i> ,	No <u>2345</u>
<i>Solea vulgaris</i> , Linné,	No <u>2347</u> , <u>2348</u> .
<i>Belone latimanus</i> ,	No <u>2350</u> ,
<i>Ariopsis milberti</i> ,	No <u>2351</u> ,
<i>Rhomboplites aurorahens</i> ,	No <u>2352</u> ,
<i>Epinophelus morio</i> ,	No <u>2354</u> ,
<i>Phycis tenuis</i> ,	No <u>2357</u> , 2363.
<i>Brevoortia patronus</i> ,	No <u>2358</u> ,
<i>Pseudorhombus dentatus</i> ,	No <u>2360</u>
<i>Orthopristis fulvomaculatum</i> ,	No <u>2361</u>
<i>Oncorhynchus quinnet</i> ,	No <u>2362</u> ,
<i>Lepidosaurus ferox</i>	No <u>2364</u> .
<i>Centrocymnus coelolepis</i> ,	No <u>2366</u> .
<i>Phycis chuss</i>	No <u>2368</u> .
<i>Porichthys notatus</i> ,	No <u>2370</u> .
<i>Embiotoca Jacksoni</i> ,	No <u>2371</u>
<i>Taeniotoxa lateralis</i>	No <u>2372</u> .
<i>Glyptocephalus cynoglossus</i> ,	No <u>2373</u> .
<i>Muraena sancta helena</i> ,	No <u>2374</u>
<i>Sebastes norvegicus</i> ,	No <u>2375</u> ,
<i>Lophius piscatorius</i> ,	No <u>2376</u> ,
<i>Chimaera plumbea</i> ,	No <u>2377</u> .
<i>Oreynus pelamys</i> ,	No <u>2378</u> ,
<i>Raia radiata</i> ,	No <u>2379</u> , 2384.
<i>Raia erinacea</i> ,	No <u>2383</u> ,
<i>Scomber pneumatophorus</i> ,	No <u>2412</u> .
<i>Latilidae Caulolatilus Anomalus</i>	<u>2432</u>
<i>Amphistichus Argenteus</i> ,	<u>2433</u>
<i>Menticirrhus Undulatus</i>	<u>2434</u>
<i>Zaniolepis latipinnis</i>	<u>2435</u>
<i>Heterodontus francisci</i>	<u>2436</u>
<i>Sebastichthys Atrivirens</i> ,	<u>2445</u>
<i>Sebastichthys Carnatus</i> ,	<u>2446</u>
<i>Raia Stellulata (J & G)</i>	<u>2449</u>
<i>Roncador Stearnsi</i>	<u>2450</u>
<i>Exocoetus Californicus</i>	<u>2451</u>

<i>Sebastichthys mystinus</i> (J. & E.)	<u>2452</u>
<i>Ditrema atripes</i> (J. & E.)	<u>2453</u>
<i>Pleuronichthys verticalis</i> (J. & E.)	<u>2454</u>
<i>Sebastichthys maliger</i> (J. & E.)	<u>2455</u>
<i>Geratodus Fosteri</i>	<u>2480</u>
<i>Delphinus Tursio</i>	<u>2489</u>
<i>Lepidosteus</i>	<u>2504</u>
<i>Polypterus</i>	<u>2505</u>
<i>Cestracien</i>	<u>2506</u>

